

## SISTEMI ROBOTIZZATI PER LA DISPENSAZIONE

**cabelpiu'**  
Dispensing Technology

CABELPIÙ distribuisce un'ampia gamma di sistemi robotizzati per il dosaggio automatico di liquidi per uso specifico nel campo della produzione elettronica. Le soluzioni di dosaggio proposte garantiscono accuratezza e consistenza che si traducono in un notevole risparmio sia in termini di tempo che di materiale. Il dosaggio automatico mira alla sicurezza dell'utente e assicura un ambiente di lavoro più confortevole, una erogazione precisa ed accurata evitando sprechi.

I nostri sistemi possono essere utilizzati per dispensare:

- Adesivi e sigillanti
- Siliconi
- Resine
- Conformal coating
- Oli e lubrificanti
- Adesivi SMT Paste saldanti
- Solder Mask



**SISTEMI ROBOTIZZATI  
PER LA DISPENSAZIONE****cabelpiu'**  
Dispensing Technology**F5200N.2 Serie Gantry Desktop - InLine**

- 3 Axes
- Step and Repeat Function
- Working area
  - X: 200mm
  - Y: 200mm
  - Z: 150mm
- Maximum Speed :
  - X: 500mm/s
  - Y/Z: 320mm/s
- Repeatability:  $\pm 0,02\text{mm/axis}$
- Program memory: 100 programs
- Dimension 485x383x569

**F5300N.2 Serie Gantry Desktop - InLine**

- 3 Axes
- Step and Repeat Function
- Working area
  - X: 300mm
  - Y: 300mm
  - Z: 150mm
- Maximum Speed :
  - X: 500mm/s
  - Y/Z: 320mm/s
- Repeatability:  $\pm 0,02\text{mm/axis}$
- Program memory: 100 programs
- Dimension 485x383x569

**SISTEMI ROBOTIZZATI  
PER LA DISPENSAZIONE****APOLLO**  
APOLLO SEIKO**J-CAT DSV**

The J-CAT DSV has a push button to allow the robot to move to an area for dispense material purging. A rotary table can be added so it can be used as a 3-Axes + 1-axis robot(option). This robot can handle most dispensing applications.



- 3 Axis
- Working area:
  - X: 200mm
  - Y: 200mm
  - Z: 50mm
- Maximum Speed PTP:
  - 500mm/s (1 -500mm/sec.)
- Portable Weight:
  - Work: 5 kg
  - Tool: 2 kg
- Dimension:
  - 320x364x730 mm