


SALDATRICI
SELETTIVEAPOLLO
APOLLO SEIKO

Grazie alla propria esperienza nella produzione di sistemi di saldatura robotizzata, APOLLO SEIKO ha realizzato una nuova linea di saldatrici selettive per la produzione di schede elettroniche. Due modelli All-in-one con modulo di flussaggio, preriscaldamento e saldatura in un'unica unità per la produzione desktop e quella in linea. Per le grandi produzioni APOLLO SEIKO ha realizzato una linea a più moduli, con le tre fasi del processo separate ed integrabili nelle linee di produzione. La progettazione e la produzione delle macchine sono realizzate interamente in Giappone.



**SALDATRICI
SELETTIVE**



AF IN4050A all-in-one off line selective soldering machine



Size
1200x1930x155mm
Working area
X: 500mm Y: 400mm

- Auto flow height adjustment by touch probe
- Auto nozzle cleaner
- Auto solder feeder & solder level sensor
- Auto adjustment of coordinates by the fiducial
- Automatic adjustment of solder pot temperature
- Preheater : Top 3ch IR heater
- Remote control support by internet
- Products loading mode : Auto shuttle

AF 4050A all-in-one in line selective soldering machine



Size
1300x1640x155mm
Working area
X: 500mm Y: 400mm

- Auto flow height adjustment by touch probe
- Auto nozzle cleaner
- Auto solder feeder & solder level sensor
- Auto adjustment of coordinates by the fiducial Automatic adjustment of solder pot temperature
- Preheater : Top 3ch IR heater
- Remote control support by internet

**SALDATRICI
SELETTIVE****APOLLO**
APOLLO SEIKO

AF IN4050 in line selective soldering machine



FLUX MODULE - PREHEATER MODULE - SOLDER MODULE

Size

Flux: 2000x1640x155mm

Preheater: 2000x1640x155mm

Solder: 1300x1640x155mm

Working area

X: 500mm Y: 400mm

- Auto flow height adjustment by touch probe
- Auto nozzle cleaner
- Auto solder feeder & solder level sensor
- Auto adjustment of coordinates by the fiducial vision
- Automatic adjustment of solder pot temperature
- Preheater : Top 3ch IR heater, Bottom 3ch IR heater
- Save of the soldering video & Management of the soldering condition
- Remote control support by internet